

©
Government of Kerala
കേരള സർക്കാർ
2013



Regn. No. KERBIL/2012/45073
dated 5-9-2012 with RNI

Reg. No. രജി. നമ്പർ
KL/TV(N)/634/2012-14

KERALA GAZETTE

കേരള ഗസറ്റ്

PUBLISHED BY AUTHORITY

ആധികാരികമായി പ്രസിദ്ധപ്പെടുത്തുന്നത്

Vol. II വാല്യം 2	THIRUVANANTHAPURAM, TUESDAY തിരുവനന്തപുരം, ചൊവ്വ	1st January 2013 2013 ജനുവരി 1 11th Pousha 1934 1934 പൗഷം 11	No. നമ്പർ	1
---------------------	---	---	--------------	---

PART III

Stores Purchase

Indigenous Medicine Department

SHORT TENDER NOTICE

No. S1-4505/2012/AVC.

3rd December 2012.

Sealed competitive tenders are invited for the supply of the following Equipments required to various Departments of Government Ayurveda College, Thiruvananthapuram for the year 2012-13.

PAC— 14,00,000.

EMD— 14,000.

Tenders should be superscribed as “Supply of Equipments” addressed to the Principal, Government Ayurveda College, Thiruvananthapuram. The last date of the receipt of tenders will be at 3 p. m. on 3-1-2013. The late tenders will not be accepted. The tenders will be opened at 3.30 p. m. on 3-1-2013 in the presence of such of the tenderers or their authorized representatives who may be present at that time.

Intending tenderers may on application to the Principal, Government Ayurveda College, Thiruvananthapuram to obtain tender forms on which tenders should be submitted. Application for the tender form should be accompanied by cash remittance of 2,205 (cost of tender form 2,100 + VAT 105) which is the price fixed for a form and which is not refundable under any circumstances. Tender forms are not transferable. Sale of tender forms will be closed at 1 p. m. on 3-1-2013. Cheque, Postal Orders etc. will not be accepted towards the cost of forms. Those who wish to purchase tender forms by post shall send an additional amount of 50 by Money Order to cover postal charges. Duplicate tender forms if required will be issued at 1,103 (cost of tender form 1,050 + VAT 53) per copy.

Intending tenderers should deposit an amount of 1% of the total cost quoted rate as Earnest Money Deposit by Demand Draft in favour of the Principal, Government Ayurveda College, Thiruvananthapuram together with an agreement in Kerala Stamp Paper worth 100. The rate quoted shall remain firm till one year from the date of acceptance. The Principal, Ayurveda College, Thiruvananthapuram will have powers to postpone/cancel the tender.

തിരുവനന്തപുരം ഗവൺമെന്റ് ആയുർവേദ കോളേജിനോടനുബന്ധിച്ചുള്ള വിവിധ ഡിപ്പാർട്ട്മെന്റുകളിലേക്ക് 2012-13 വർഷങ്ങളിലേക്ക് ചുവടെ കാണിച്ചിരിക്കുന്ന ഉപകരണങ്ങൾ വിതരണം ചെയ്യാൻ തയ്യാറുള്ളവരിൽനിന്നും മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ഓരോ ദർഘാസുകളും ആയുർവേദ കോളേജ് പ്രിൻസിപ്പാളിന്റെ മേൽ വിലാസത്തിൽ പ്രത്യേകം കവറിലാക്കി സീൽ ചെയ്ത് 3-1-2013 ഉച്ചയ്ക്ക് 3 മണിവരെ സമർപ്പിക്കാവുന്നതാണ്. അന്നുതന്നെ ഉച്ചയ്ക്ക് ശേഷം 3.30 മണിക്ക് ദർഘാസുകൾ നിയമാനുസരണം തുറക്കുന്നതായിരിക്കും. യാതൊരു കാരണവശാലും ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടില്ലാത്തതാകുന്നു. ദർഘാസ് ഫോറങ്ങളുടെ വിലപന 3-1-2013 ഉച്ചയ്ക്ക് 1 മണിക്ക് അവസാനിക്കുന്നതാണ്. ഫോറങ്ങൾ തപാൽമാർഗ്ഗം ആവശ്യമുള്ളവർ ദർഘാസ് ഫോറത്തിന്റെ വിലയേക്കാൾ 50 കൂടുതൽ മണി ഓർഡർ ആയി അയയ്ക്കേണ്ടതാകുന്നു. ദർഘാസിൽ രേഖപ്പെടുത്തിയിരിക്കുന്ന വില നിരക്കുകൾ ദർഘാസ് അംഗീകരിച്ച് നൽകുന്ന തീയതി മുതൽ ഒരു വർഷം വരെയുള്ള കാലയളവിനുള്ളിൽ മാറ്റം വരുത്താൻ പാടില്ലാത്തതാകുന്നു. ഒരു ദർഘാസിന്റെ വില 2,205 ആണ് (ഡ്യൂപ്ലിക്കേറ്റ് ഫോറത്തിന്റെ വില 1,103).

പുരിപ്പിച്ച ദർഘാസ് ഫോറത്തിനോടൊപ്പം സാധനങ്ങളുടെ മൊത്തം വിലയുടെ 1% (ഒരു ശതമാനം) നിരതദ്രവ്യത്തിന് തിരുവനന്തപുരം ആയുർവേദ കോളേജ് പ്രിൻസിപ്പാളിന്റെ പേരിൽ എടുത്ത ഡ്രാഫ്റ്റും 100-ന്റെ കേരള സംസ്ഥാന മുദ്രപത്രത്തിൽ രേഖപ്പെടുത്തിയ ഒരു എഗ്രിമെന്റും ഹാജരാക്കേണ്ടതാണ്. ഏതൊരു ടെണ്ടറും കാരണം കാണിക്കാതെ നിരസിക്കാനോ മാറ്റിവയ്ക്കാനോ ഉള്ള അധികാരം തിരുവനന്തപുരം ആയുർവേദ കോളേജ് പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമായിരിക്കും.

<i>Sl. No.</i>	<i>Instruments</i>	<i>Specification</i>	<i>Quantity</i>
(1)	(2)	(3)	(4)
1	Gonioscope	Four mirrors angled at 62 deg. The small contact surface of 9 mm. diameter. Detachable handle can be fixed straight or at an angle. Useful for both diagnostic and dynamic gonioscopy	2 Nos.
2	Schiotz tonometer	Schiotz tonometer with case	5 „
3	Classical slit lamp lenses 60d	The 60 D provides the highest magnification of the non contact slit lamp lenses and is ideal for detailed disc and macular viewing The 31 mm. ring diameter facilitates easy handling with the orbital area.	2 „
4	Classical slit lamp lenses 90d	The original Volk 90D features a small 26 mm. diameter ring design which is outstanding for dynamic funduscopy. The Volk 90 has good small pupil capabilities, making it ideal for a quick look at the posterior pole.	2 „
5	Ophthalmoscope professional	<ul style="list-style-type: none"> • Direct • Professional • With case and rechargeable battery 	3 „
6	Handycam	Digital zoom 2000.0X, Photo resolution 0.3m.pixels, hard disc drive, flash card, optical sensor 1/8”, advanced HAD CCD optical sensor type. MPEG-2video format, carl zeiss 40.0XX zoom lens- 1.9 mm-76.0mm- F/1.8-4.1, display 2.7, LCD display	2 Nos.
7	Sterile ear buds		3500 „
8	Schimmers dry eye test strip		3600 „
9	Fluorescein strip		3600 „
10	Thermal recording papers	57 mm. x 20 m.	120 „
11	Air compressor 1 HP	(medical grade dental use)	1 No.
12	Air rotor hand piece	(light-LED-Wp)	1 „
13	Light care unit	(5 Tips)	1 „
14	Scalar Unit		1 „
15	Dental instruments	Dental extraction forceps kit consists with <ul style="list-style-type: none"> (a) Right upper molar forceps (b) Left upper molar forceps (c) Right lower molar forceps (d) Left lower molar forceps (e) Lower anterior forceps (f) Upper anterior forceps (g) Upper root forceps (h) Lower root forceps (i) Periosteal elevator 	1 set

(1)	(2)	(3)	(4)
16	Dental accessories	(a) Ultrasonic scaler (b) Supra gingival scaling set	1 set
17	Spirometer	Temperature sensor : semiconductor (0-45°C), Flow sensor : bi-directional digital turbine. Max. volume : 10 L, Flow range : ± 16 L/s, Volume accuracy: $\pm 3\%$ or 50 mL, whichever is greater, Flow accuracy : $\pm 5\%$ or 200 mL/s, whichever is greater, Dynamic resistance at 12L/s : <0.5 cm H ₂ O/L/s,- Display : 128 \times 48 pixel, graphic LCD-FSTN, Keyboard : 5 keys, Connectivity : USB and Bluetooth ® Power supply : 9v DC (PP3 battery), Dimensions : 6.4 \times 1.9 \times 1.3 inch (162 x 49 x 32 mm), Weight : 6.4 Oz (180 gram) with battery.	1 No.
18	Spirometer	Manual type	10 Nos.
19	Tablet mixing machine	10 kg. capacity, Double cone Blender 0.5 HP Motor & Gear Box	1 No.
20	Electroic weighing machine	Capacity 300 gms \times 0.01gm., Platter 155 \times 155m., Net/Grossweight 440/580 gm.	1 „
21	Tense	Frequency 2-250 Hz, Pulse width 20-250 microseconds, power source-dual power, No. of channels-4	1 „
22	Wax machine	Small 14" \times 8" \times 6", Stainless steel tank, input supply-230VAC, 50 Hz	1 „
23	Dressing table (Steel)	Stainless steel construction, PVC cushion, Ratchet backrest, 1830 \times 810	1 No.
24	Test tube racks	Small, medium, large	2 each
25	Examination cot	Stainless steel construction, PVC cushion, Ratchet backrest, 1830 \times 810	1 No.
26	Moisture Analyzer	Fast halogen element with high accuracy and performance—GLP complaint, Easy calibration with optional kit-LCD display of time, temperature, weight and percentage, moisture capacity-50gm.	1 „
27	Monocular microscope (ordinary)	Good quality, achromatic will optic German make objectives 10 \times , 40 \times Anti fungus treated HEA coated optics, eyepiece WF 10 \times , fine and coarse focusing adjustment without LED illumination and with 50mm diameter plano concave mirror	25 Nos.
28	Binocular Microscope	Anti fungus treated HEA coated optics, Binocular tube inclined at 45°, Co-axial ball bearing guide ways focusing system, quadruple nose piece on ball bearings, achromatic objectives 4 \times , 10 \times , 40 \times and 100 \times oil immersion, WF eyepiece 10 \times , sub-stage condenser NA 1.25, 6v-20w halogen illumination, Attachable plano concave mirror	2 „
29	Haemocytometer	Bright Lined Counting Chamber, 1 each RBC and WBC pipette in box	20 Nos.
30	RBC pipette	Good quality	25 „
31	WBC pipette	Good quality	25 „
32	Measuring cylinder	10 ml	40 „
33	Watch glass		40 „
34	Glass slide		50 pkts
35	Pasteur pipette		30 Nos.
36	Counting chamber cover glass		50 pkts
37	Capillary tube	Good quality	50 pkts
38	Urinometer		30 Nos.
39	Spirit lamp	Glass	30 „
40	Funnel		35 „
41	Measuring jar	250 ml (glass)	25 „

(1)	(2)	(3)	(4)
42	Electronic Balance	Analytical precision balance—minimum display 0.01 mg STD deviation 0.01 mg, automatic push button, internal calibrator, auto tone with digital display	1 No.
43	Stalagmometer	High quality	2 Nos.
44	Viscometer	Borozil, High quality, glassware	2 „
45	Osmometer	High quality	2
46	Newton's color wheel in a batch	High quality	1
47	Water distillation still (Should be done with connection)	High quality	1
48	Autoclave	Vertical and cylindrical shape, capacity—52 ltrs, inner size cm-35 dia x 150 h, inner chamber : Stainless steel 304 quality, external: Stainless steel 304 quality, Range—Ambient to 15 psi pressure/121.4°C, Controller : Mechanical spring loaded valve/ μ based temp, controller (GMP), Accuracy : $\pm 0.1^{\circ}\text{C}$ (GMP), Uniformity: $\pm 0.2^{\circ}\text{C}$ (GMP), Max Ramp—up time : 45 min. upto 121.40c without load with respect to ambient, Top lid: With Dome shape Die press stainless steel plate, capacity—3000 Watts, Power consumption : 15 amps, Electrical requirements : AC 230V & 50 Hz cycle	1
49	Electric Bunsen with energy regulator		3
50	Animal holder for rats	Standard size for rats (clear see through acrylic plastic with mechanism to adjust the length of the chamber suitable for IV injection)	5
51	Animal holder for mice	Standard size for mice (clear see through acrylic plastic with mechanism to adjust the length of the chamber suitable for IV injection)	5
52	Oral feeding needle	Stainless steel for the oral administration to rats/mice	10
53	Electronic Weighing balance	5 mlg precision capacity	1
54	Electronic Weighing balance	1 kg/100mlg precision	2
55	Weighing balance	10 kg/1g	2
56	Yoga mat (rubberized)	6 x 4	52
57	Foot bath tub	Fibre made	3
58	Foot and arm bath tub	Fibre made	3
59	Artery forceps	6" straight	1
60	Artery forceps	6" curved	1
61	Mosquito forceps	5" straight	1
62	Mosquito forceps	5" curved	1
63	Kindney tray	8" stainless steel	2
64	Kindney tray	8" stainless steel	2
65	Abbe refractometer	With DR 194 (A) imported optics, digital model automatic heating, Refractive index range 1.300-1.700, Refractive index accuracy-0.0002, Minimum deviation-0.0005, Brix (%) Range 0-95, Brix (%) minimum division 0.25, Temperature range—0c-70c, weight nearly 3 kg.	1

66	Melting point determination period for Laboratory use (digital model)	High precision, digital display with decimal point, automatic furnace cut off with audio and visual indication, range 40 to 350 C, fully automatic operation	1
67	Analytical digital balance	Electronic top loader, precision 410 g, Readability .001, Pan size 12 cm.	1

Government Ayurveda College,
Thiruvananthapuram.

(Sd.)
Principal.

SHORT TENDER NOTICE

[No. 09/2012-13]

No. C1-3275/2012. 28th November 2012.

Sealed tenders are invited for the supply of Park Equipments for setting up of Park in the hospital premises of Government Ayurveda College, Tripunithura.

The tenders should superscribed tender for the supply of Park Equipments for setting up of Park in the hospital premises and addressed to the Principal, Government Ayurveda College, Tripunithura.

P.A.C.— 1,53,000

Cost of tender form (Non-refundable):

Original— 420.

Duplicate— 210.

50 will be charged extra towards the postage if the tender form has to be sent by post.

Date and time for sale of tender form— 3-12-2012 to 3-1-2013, 10.30 a.m. to 2 p. m.

Last date and time of receipt of tender form— 5-1-2013, 2 p. m.

Date and time of opening of tender—5-1-2013, 3 p. m.

Date upto which the rates to be firm—31-3-2013.

Intending tenderers may on application to the Principal, Government Ayurveda College, Tripunithura obtain the requisite tender forms against cash remittance. The tender form is not transferable. Cheques, Postages Stamps etc. will not be accepted towards the cost of forms nor will the form be sent per V.P.P.

തൃപ്പൂണിത്തുറ ഗവൺമെന്റ് ആയുർവേദ കോളേജ് ആശുപത്രിയിലെ കൗമാരഭൗതിക വകുപ്പിന്റെ കീഴിൽ ആശുപത്രി പരിസരത്ത് പുതിയതായി നിർമ്മിക്കുന്ന പാർക്കിലേക്ക് ആവശ്യമായ പാർക്ക് ഉപകരണങ്ങൾ വിതരണം ചെയ്യുവാൻ തയ്യാറുള്ളവരിൽ നിന്നും നിർദ്ദിഷ്ട ഫോറത്തിൽ സീൽ ചെയ്ത ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ഉദ്ദേശവില— 1,53,000.

ദർഘാസ് ഫോറത്തിന്റെ വില (വാറ്റുശ്ശെപ്പടെ) :

അസ്സൽ— 420.

പകർപ്പ്— 210.

ദർഘാസ് ഫോറങ്ങൾ തപാലിൽ ലഭിക്കുന്നതിന് ഫോറത്തിന്റെ വിലയ്ക്കു പുറമേ 50 കൂടുതൽ അടയ്ക്കേണ്ടതാണ്. ദർഘാസ് ഫോറത്തിന്റെ വിലയായി ചെക്കുകൾ, പോസ്റ്റേജ് സ്റ്റാമ്പുകൾ എന്നിവ സ്വീകാര്യമല്ല. വി.പി.പി. വഴി അയക്കുന്നതല്ല.

ദർഘാസ് ഫോറങ്ങൾ വിൽക്കുന്ന തീയതിയും സമയവും—3-12-2012 മുതൽ 3-1-2013 രാവിലെ 10.30 മണി മുതൽ 2 മണിവരെ.

ദർഘാസ് ഫോറങ്ങൾ സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—5-1-2013, 2 മണിവരെ.

ദർഘാസുകൾ തുറക്കുന്ന തീയതിയും സമയവും— 5-1-2013, 3 മണി.

31-3-2013 വരെ നിരക്ക് പ്രാബല്യത്തിലിരിക്കേണ്ടതാണ്.

ദർഘാസ് നീട്ടി വയ്ക്കുന്നതിനും യാതൊരു കാരണവും കൂടാതെ റദ്ദാക്കുന്നതിനുമുള്ള അധികാരം പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമായിരിക്കുന്നതാണ്. സർക്കാർ വകുപ്പുകളിൽ നിലവിലുള്ള എല്ലാ ദർഘാസ് നിബന്ധനകളും ഈ ദർഘാസിനും ബാധകമായിരിക്കുന്നതാണ്. കൂടുതൽ വിവരങ്ങൾ കോളേജ് ഓഫീസിൽ നിന്നും പ്രവർത്തി സമയങ്ങളിൽ അറിയാവുന്നതാണ്.

Office of the Principal,
Government Ayurveda College,
Tripunithura.

(Sd.)
Principal